

We take pride in knowing that our technologies improve safety, efficiency and comfort for millions of people every day

For more than 100 years, we have provided a wide range of customized, sensor-rich solutions that address complex engineering requirements to help customers solve difficult challenges in many industries.

Our solutions help make products safer, cleaner, and more efficient and connected.

# **Table of Contents**

Why Sensata	
Solutions Overview	
Applications	
Heating, Air Conditioning, Refrigeration Refrigeration Cycle HVAC System Integration Transport Refrigeration Bus and Train Air Conditioning Heat Pumps Boilers	5
Water Management Booster Pumps Pump Controllers Circulation Pumps	11
Smart Metering Gas and Water Meters	14
Elevators and Access Control Elevators Access Control	15

# The world demands increasing safety, energy efficiency and energy savings

Facilities around the world are a main contributor to global energy consumption. HVAC systems play a significant part in energy consumption and that's where Sensata can help you build cleaner and more efficient applications. Our sensors help increase energy efficiency and system reliability, are compatible with most environmentally friendly refrigerants and enable greater connectivity. We also have products designed specifically for hydronic applications, having a deep understanding of the role boilers, pump systems and smart meters play in a sustainable building.

We manufacture millions of sensors every year for mission-critical, hard-to-do applications. We get involved very early in the design process, right from the concept level, and we partner with you to achieve more competitive products while meeting regulations. Our team of engineers have the experience and expertise to innovate and problem solve no matter what your sensor challenges are.

Within the very complex area of smart buildings, our sensors will help you achieve more efficient pumps, boilers, home heating solutions, air conditioning and refrigeration systems, access control applications, and more. Together with you, we enable a cleaner and more efficient world.

SAFE | CLEAN | EFFICIENT | COMFORTABLE

# **Why Sensata**

Sensata has a deep knowledge and understanding of a broad range of industrial applications and offers advice and support to help customers select the right products for your applications. Sensata takes pride in the flexibility of its operations to produce exceptional products which can be customized on a global scale.



Industry-specific knowledge and proprietary technology in mission critical and hard-to-do applications



Partnership mindset and flexible technology building blocks configured for customized solutions



Low cost manufacturing model with concentrated manufacturing operations across the globe




Strong teamwork to deliver fast responses to customers, with deep understanding of product design cycles and launch execution

# What Our Customers Say

# Vaillant Group, global leader in Heating, Ventilation and Air Conditioning technology

"After more than 5 years of common business relationship we would like to summarize our cooperation with Sensata Technologies as follows: from the beginning we looked for an innovative partner for Vaillant Group, capable to fulfill all our technical requirements. Vaillant Group has very high quality standards and stringent policies to validate new suppliers and we found in Sensata a professional partner capable to fulfill our requirements and also capable to adapt their products and production processes to our needs.

Together with the good technical support we received also a very professional and personal customer service. This has been the basis for a very strong cooperation and from the beginning we have grown together in the new Heat Pump market segment. It is worth mentioning the support given by Sensata to certify all the components according to the new requirements coming from the new F-gas regulation with the use of natural refrigerants. In summary, good technical support, always offering the last technologies and certifications with competitive prices, good quality and a professional custom service."



# **Solution Overview**

	Pressure Sensors	Pressure Switches	Thermostats	Position Sensors and Encoders	Motor Protectors	Solid State Relays
Refrigeration Cycle	•	•	•		•	•
<b>HVAC System Integration</b>	•	•	•		•	•
Transportation Refrigeration	•	•	•		•	•
<b>Bus/Train Air Conditioning</b>	•	•	•		•	•
Boilers	•		•			
Heat Pumps	•	•	•		•	•
<b>Booster Pumps</b>	•				•	•
Pump Controllers	•					
Circulation Pumps	•				•	
Gas Meters	•					
Water Meters	•					
Fire Hydrants	•					
Elevators				•		
Access Control				•		•

# **Functional Solutions**

#### **Pressure Sensors**

Broad portfolio of pressure products based on a variety of proven technologies. From pressure sensors that offer ranges from 1 inch H2O to 10,000 psi or vacuum up to 600 bar, to our highly reliable pressure switches with a wide range from 0-2000 psi or 0-140 bar, our pressure solutions provide the configurability and performance needed for demanding industrial applications.

#### **Position Sensors and Encoders**

Sensata's comprehensive encoders and position sensors line includes incremental and absolute encoders, hall effect sensors, rotary and linear potentiometers as well as inclinometers and draw wire solutions.

We provide reliable and rugged products designed for use in standard industrial to heavy duty and hazardous area applications.

#### **Temperature Sensors**

Sensata's comprehensive range of thermal solutions can meet many electrical protection needs. Its portfolio is easily configurable and includes rugged industrial thermostat switches and temperature sensors, with a wide range of form factors and connection options. Sensata is a global leader in high temperature exhaust gas sensing with solutions approaching 850°C.

#### **Motor Protectors**

These products, including magnetic hydraulic circuit breakers, ground fault circuit interrupters, power switches and fuses, accurately provide protection against fault conditions and provide for the distribution and control of electrical power. Innovative design, proven performance, and quality manufacturing has made the Airpax<sup>TM</sup> brand the recognized leader in the markets we serve.


Condensate tray level control


# Refrigeration Cycle for Residential and Commercial Air Conditioning and Refrigeration Systems

Sensata's pressure sensors ensure higher efficiency in air conditioning and refrigeration system operation, allowing real time monitoring, system automation and maintenance feedback, while switches and thermostats provide the crucial safety factor.

Air conditioning manufacturers are increasingly confronted with complex design challenges due to stricter regulations, demanding HVAC environments, lower leakage rates, and the move to lower global warming potential and natural refrigerants.

For large facilities like office buildings, hospitals, restaurants, hotels and other public locations, rooftops and chillers are widely used for cooling buildings. They are complex, costly systems, that consume more energy than any other piece of equipment in large buildings, therefore operating them smartly can lead to important energy and cost savings. Food waste reduction, decentralization of supermarkets and refrigerated food storage units, and the need to lower the overall carbon footprint are driving huge shifts in the supermarket refrigeration sector. Strategies include better control of pressure and temperature monitoring, minimizing refrigerant leakage, and better component selection such as compressors, heat exchangers, pressure and temperature sensors and controls.





Compact Design. WRAS and/or NSF approved versions available

Reliable reed switch contacts; available in Nylon, Polypropylene, PPS and PVDF

RSF40, RSF70

**Compact Internal** 


**Fitting Float Switch** 

## **HVAC System Integration**

A key driver in the implementation of energy efficient and sustainable climate control in buildings is system integration.

Sensata works closely with leading control unit manufacturers and system integrators, creating value for end users and OEMs through packaged sales of sensors and controllers, programmed to communicate with one another.

Sensata manufactures reliable sensors for the regulation of HVAC/R systems fine tuned to communicate with building automation controllers and software.





 High quality standards, huge manufacturing scale and high-volume cost-effective supplier hase

 Automatic and manual reset; environmentally sealed or vented switch, hermetically sealed, high current High pressure switch for refrigerant safety pressure measurement



2CP5, 35CP, 2HMP, PTE7100 Pressure Sensors

- Rugged seal ideal for outdoor environments, industry leading accuracy over broad temperature range. Hermetic sensor design with high dielectric strength
- Huge manufacturing scale and high-volume cost-effective supplier base
- Highly configurable, high accuracy, stainless steel housing, durable, compact, low-cost design

Refrigerant system regulation



112CP Pressure and Temperature Sensor

- Pressure and temperature measurement in one package
- Fast, in-stream temperature measurement

Precise superheat measurement







1NT/3NT Thermostat

- Automatic reset, small and easy to mount, fast thermal response
- Innovative dry seal design protects from moisture and dust


Precise superheat measurement

### **Transport Refrigeration**

Sensata pressure and temperature sensors and switches, help mobile cooling systems operate efficiently, safely and continuously.

Refrigerated transport solutions are a vital part of the logistics world, reducing food waste, and keeping other goods such as refrigerated medical supplies safe during transport.

Sensata partners with the leading transport refrigeration manufacturers globally to continually make these systems more efficient and ensure goods stay cooled for the entire journey.





- High quality standards, huge manufacturing scale and high-volume cost-effective supplier
- Automatic and manual reset; environmentally sealed or vented switch, hermetically sealed, high current

pressure measurement



- Rugged seal ideal for outdoor environments, industry leading accuracy over broad temperature range. Hermetic sensor design with high dielectric strength
- Huge manufacturing scale and high-volume cost-effective supplier base
- Highly configurable, high accuracy, stainless steel housing, durable, compact, low-cost

Refrigerant system regulation

High pressure switch for refrigerant safety



112CP Pressure and Temperature Sensor

- Pressure and temperature measurement in one package
- Fast, in-stream temperature measurement

Precise superheat measurement



1NT, 3NT Thermostat

- Automatic reset, small and easy to mount, fast thermal response
- Innovative dry seal design protects from moisture and dust

Precise superheat measurement



**LLF40 Series** Compact Internal Fitting, Low Level, Float Switch

- Suitable for low specific gravity liquids (0.7 S.G.)
- Very low level sensing. Class leading compact design
- Available in Nylon, Polypropylene, PPS or PVDF. 25VA & 100VA versions

Float switch to indicate level changes in shallow water in condensate trays

**Vertical Plastic Float** Switch with Internal Mount

- Compact Design. M12 or 1/8NPT mounting thread
- User configurable N/O or N/C operation. WRAS and NSF approved variants
- Available in PPS, Polypropylene, Nylon and PVDF


Diesel generator tank level control to allow the diesel generator to drive the refrigeration compressor when the truck is stationary

## **Bus/Train Air Conditioning**

The air-conditioning system, whose central unit is usually placed on the roof of busses and trains, ensures a comfortable climate for the passengers on board.

Sensata pressure sensors and switches play a decisive role in these systems. High energy efficiency and savings are achieved through intelligent control of the condenser fans and the compressor through sensors.

Sensors from Sensata help ensure passenger comfort and save energy.





20PS Pressure Switches

- Automatic reset; environmentally sealed or vented switch; SPST switch normally open or normally closed
- Dedicated cut-out pressure setting calibration in our factory

High pressure cut-out control (HPCO)



Ceramic Capacitive Pressure Sensors

and Refrigeration

**Pressure Sensors** 

**HVAC** 

- UL recognized, durable, compact, low-cost design, accurate performance over wide temperatures
- Overvoltage and short circuit protected
- ATEX certification for R290 and other flammable refrigerants

 Provides best in class accuracy over temperature, in a reliable, hermetic design at a competitive price

Media and electrical isolation protects against thermal and electrical shock

Discharge and suction pressure monitoring, subcooling and superheat calculations, condenser fan control, remote systems diagnostics and trending

Refrigerant hermatic pressure



112CP Pressure and Temperature Sensor

for Outdoor Environments

- Pressure and temperature measurement in one package
- Fast, in-stream temperature measurement

Precise superheat measurement



PTE7100

- Highly configurable, high accuracy, stain steel housing; wide temperature range
- Hermetic sensor design with optional connections on pressure and electrical side

Ensures the system regulation when the refrigerant is CO<sub>2</sub>


# **Heat Pumps**


Sensata has a wide range of pressure sensors specifically designed for heat pumps using traditional refrigerants as well as propane, CO2 and other natural refrigerant types.

Heat pumps play a major role in renewable heating and cooling, using sources from the environment such as air, geothermal, and water to provide heat for space heating and sanitary hot water.

The installation of heat pumps in Europe plays a major role in global decarbonization initiatives by moving from heating sources that burn fossil fuels to systems using clean heat sources. In addition, trends to use natural refrigerants such as propane further contribute to environmental friendliness of these systems.

Sensata has a wide range of pressure sensors specifically designed for heat pumps using traditional refrigerants as well as propane, CO2 and other natural refrigerant types. Additionally, pressure switches, thermostats and temperature sensors offer a broad portfolio for heat pump applications.






#### **Boilers**

Central boilers are a common way of heating the house or office. In the case where a combi-boiler is used, sanitary hot water is also heated from the same system. For example, wall hung boilers are energy and space efficient ways of heating rooms.

Heat transfer is done by means of a hydronic system that transfers heat to the radiator panels in separate rooms. One important variable in the hydronic system is the liquid water pressure. If the pressure is too high, there is risk of damage or leakage to the hydronic system. If the pressure is too low, there is risk of damaging the heat exchanger inside the boiler.

Sensata offers a cost-effective, reliable and accurate pressure sensor to measure the pressure in the hydronic loop of the central heating boiler.

The pressure sensor's compact design makes it ideal for boilers where space can be an issue.





- Accurate and reliable pressure measurement, offered in a compact plastic package
- REACH/RoHS compliant; 0-4 to 0-16 bar
- The sensor is designed for measuring pressure of liquid media

Monitoring of the safe levels of hot water pressure





1NT Thermostats

- Due to the innovative dry seal design, the 3NT is ideal in systems where moisture build up is common
- -40°C to 240°C temperature rating, multiple switch actions available, ISO9001: 2000 certification


Disconnection of the circuit in case of overtemperature

#### **Booster Pumps**

In addition to energy savings there are reduced maintenance costs due to the system operating at reduced pressures Booster pumps are a very common way of increasing water pressure in a home or office if the water is coming from a well or if the water pressure coming from the city is low.

Water booster pumps also give pressure to move water through a residential or commercial building from a storage tank.

Increasing regulations and stronger focus on energy consumption has prompted OEMs to move to variable speed pumps, continuously optimizing the pump speed and power consumption while maintaining constant outlet pressure of the pump. Pressure sensors are a fundamental part to this system.





116CP, 126CP

- **116CP, 126CP** Multiple port & connector options, high accuracy, small & compact size
  - Full automated calibration; drinking water safe options available

Monitoring of the pump inlet/outlet pressure in residential and commercial applications



Pressure Sensors

- Ideally suited for environmentally demanding industrial applications
- Their design requires no end user amplification; several housing options are available

Monitoring of the pump inlet/outlet pressure in residential and industrial applications



PTE7100 Pressure Sensor

- Measuring range from 0-50 bar to 0-400 bar, wide range of ports, connectors, and electrical outputs
- Highly configurable, high accuracy, stainless steel housing with hermetic port

Pressure system regulation



2AM/8AM Inter Protectors

- Small, light weight and sensitive to temperature and current
- $\bullet~$  It can be mounted directly on motor windings for fast detection of temperature changes

Pump motor protection



FSP10 Flow switch

- Direct switching of pumps up to 4A inductive
- 0.6 or 3.0 l/min turn on flow rate
- Automatic shutdown on flow stop. 1" BSP pipe connections


Controller incorporating a flow switch detects low flow preventing pumps running dry and incurring damage

# **Pump Controllers**

Controllers are an essential part of a pump application, required to automate the pumping process in the system and operate at a specific speeds and pressures, continuously optimizing the pump speed and power consumption while maintaining constant pressure of the pump.

The sensor measurement pressure value is usually presented on the pump's display. In digital trends customers are able to view and monitor pressures via an application on their smartphone or tablet. In addition, a notification can inform users of irregularities and assist in preventative maintenance.

Sensata offers a costefficient pressure sensor with potable water certification.





- Utilizing Sensata's industry leading ceramic capacitive technology, this sensor is housed in a small and innovative plastic package ideal for boilers and pumps
- Offered in a wide range of configurations including various pressure ports, electrical outs and pressure ranges from 0-4 to 0-16 bar

Water pressure monitoring, including certification for potable water



- Packard and M12 connector, supply: 5Vdc or 6-30Vdc
- Stainless steel housing with 40bar max. pressure range, drinking water certifications available for specific products

Water pressure monitoring and control


### **Circulation Pumps**

By monitoring pump discharge pressure in real-time, pressure sensors gauge the exact pumping need and adjust motor speed accordingly, helping pump systems to reach the lowest Energy Efficiency Index.

Hot water circulation pumps, also known as recirculation pumps, are installed on central heating systems to control the process of circulating the hot water from the boiler to the room radiators in a loop.

Variable speed pumps using pressure sensors from Sensata save energy by adjusting the pump needs to meet system demands. By slowing down the pumps during times of low demand, the energy consumption drops dramatically. By monitoring pump discharge pressure in real-time, pressure sensors gauge the exact pumping need and adjust motor speed accordingly, helping pump systems to reach the lowest Energy Efficiency Index.

Sensata's sensor portfolio also includes case isolated sensors which are designed specifically to operate efficiently in the high electrical noise environments present with variable frequency drive pumps.





- Water pressure sensor, including certifications for potable water
- High accuracy, REACH/RoHS compliant, 0-4 to 0-16 bar

Pressure measurement in the hydronic heating loop, for optimal heating distribution

- ② 35CP Pressure Sensors
- Packard and M12 connector, supply: 5Vdc or 6-30Vdc
- Stainless steel housing with 40bar max. pressure range, drinking water certifications available for specific products

Pressure monitoring on the discharge side and provides feedback to VSD for optimal efficiency (i.e. number of pumps and/or speed of pumps to maintain desired output pressure)



FS Flow Switches

- 15mm & 22mm tube versions
- Low flow versions available
- WRAS approval. Temperature rated to 85°C (185°F)

Flow detection and pump switching. The switches are designed to be used in liquids only and should not be used in systems with significant amounts of solid particles.



- Rugged seal ideal for outdoor environments, industry leading accuracy over broad temperature range
- Media and electrical isolation protects against thermal and electrical shock; outstanding EMC/ESD performance
- MEMS sensing technology, low cost design for OEM applications

Pressure monitoring at suction or discharge side



20PS Pressure Switch

- Automatic Reset, single-pole, single throw switch normally open or normally closed
- Stainless steel, hermetically sealed sensor, environmentally sealed or vented switch
- High mechanical robustness to vibrations, high cycle life, proven reliability, custom engineered solutions

Provides run dry protection or protection against cavitation on the suction side of the pump

#### **Gas and Water Meters**

Smart meters are a next generation gas and water meter, taking automatic, accurate readings of domestic water and gas usage, replacing old meters in homes.

Smart meters not only enable remote readings, but also allow for detection of inconsistencies, such as leaks, security alerts, and other event detection (usage spikes, hammers). Additionally, they aid in predictive maintenance and provide inputs to actuate remote shutoff, when needed.

They also support in the optimization of pump speeds across the supply network based on demand, therefore improving efficiency and reducing network operational costs.

Another large benefit of smart meters is the data access it provides to the end-user through the use of a portal dashboard or smartphone.

Sensata offers robust accurate, and certified pressure sensors for the measurement of water and gas pressure in smart meters.



- Gas

  Sensata

  Frechnologies

  Sensors
- Field proven MEMS sensor technology
- Digital I2C output with low power consumption
- Compatible with natural gas
- Small and robust plastic package

Gas pressure measurement



- Digital I2C output with low power consumption
- Robust and reliable to pressure spikes and waterhammer
- Compatible with drinking water safe applications


Water pressure measurement

<sup>\*</sup> Other standard configurable sensors, customizable to fit your specific application demands, can be developed by Sensata Technologies. Please contact us for details.

#### **Elevators**

Sensata offers the possibility to customize each standard product to make it easier to integrate into an existing or new design.

In order for elevators to operate properly, it is imperative that they remain perfectly aligned between the cabin and floor, with absolutely no vibration between the start-up travel and arrival of the elevator cabin as well as maintain a smooth path during acceleration and deceleration. Sensata's encoders are highly accurate and provide a reliable signal that permits smooth movement of the elevator cabin.





- Compact encoders especially designed for motorist applications
- Robust and excellent resistance to shocks and vibrations
- High protection level IP65, high performances in a broad temperature range, universal electronic circuits

Enables control of the cabin speed and position, aligning it perfectly to the demanded floor





- Usable up to SIL3 and Cat.4/PLe according to IEC61508 / EN ISO13849a, suitable for safe motor feedback according to IEC 61800-5-2
- Robust and excellent resistance to shocks and vibrations, high performances in a broad temperature range

Controls the speed of the motor Ensures a smooth start up and arrival of the cabin





DHM5 Incremental SinCos Encoder

- Easy programming without any specific software or hardware
- Robustness and excellent resistance to shocks and vibrations
- High resolutions available, universal electronic circuits from 5 to 30Vdc

Enables control of the cabin speed and position ensures a smooth start up and arrival of the cabin





CHM5
Absolute Single Turn
Encoder with
Incremental Track
and BiSS-C Protocol

- Compact and robust, especially designed for heavy-duty applications
- Excellent resistance to shocks/vibrations and to extreme axial/radial loads
- Also available in SSI or parallel output and fieldbus: CanOpen, DeviceNet, Profibus

Enables control of the cabin speed and position, as well as a smooth cabin start and arrival


#### Access Control

Access control applications are one of the few industrial applications all humans interact with on a daily basis. Parking gates, handicap lifts, tail lifts and roll up freight doors are few renditions of this type of application. As our cities become busier, access control applications are continuously growing in demand.

Space, environment abuse, and maintenance are three of the biggest concerns when it comes to new designs for access control applications.

New designs require smaller components so that the application itself can fit into tighter areas. Resistance to the elements as well as vibration is of great importance. As access control applications become more prevalent their components need to withstand the environments they live in. Finally, components that reduce maintenance play a large role as well.

Due to their remoteness. access control applications need to have long cycle lives and their components need to work together to preserve the lifetime of critical aspects, like the motor.







- · Compact package suitable for the space constraints of access control applications
- With no moving parts, it has the durability to last in demanding applications with constant

Used to switch motors or pumps used in access control systems, reducing power consumption and wear & tear on various components in the system





#### DRC **Solid State** Contactor

- Designed for frequently switching three phase loads up to 5HP, 600VAC 7.6 Amps
- It includes an interlock control that allows only forward and reverse operation in a safe mode

Electric circuit control





**DRMS Motor Starter** 

- Hybrid motor starter that offers a soft start, soft stop and motor reversing functions in a compact package
- It extends the lifetime of access control applications while the compact size can free up needed space

Ensures a soft start and stop of the motor





**HDC Series** olid State Relay

- It offers less coil consumption, longer life cycle, high vibration ratings, and soft start functions versus standard electromechanical relays in access control systems using hydraulic systems
- Load switching in hydraulic systems of tail lifts, handicap ramps, and other vehicle access control applications





- Robust and accurate sensors, with stainless steel construction and piezo-resistive sensing
- High vibration tolerance, temperature compensated, ideal for access control applications using hydraulic systems

Used in the pump station that controls the rising and lowering of the unit, in access control applications using hydraulic systems





ACW4/TCW4 **Hall Effect Position Sensor** 

- Contactless position sensor with completely encapsulated electronics, which reduces troublesome maintenance and protects the sensor from demanding environment
- It measures the position of an object, which can be an arm of a gate or a roller of a door





9850 Series Potentiometer

- It offers a true ratiometric reading which can be of benefit for access control applications where the power supply is far from the actual point
- Indicates the positional or operational status of the moving part





9960 Hall **Effect Position** Sensor

- Non-contact sensor reducing maintenance call, full 360 degree travel range
- Offered in a package that is rated for harsh environemtns

Ensures that automated gates stay on track and avoid closing on obstacles during operation





AC Off-Winding **Motor Protector** 

- Capability to to operate in wide temperature and current ranges, while providing consistent performance characteristics and excellent reliability
- Protects the three-phase motor against overheating due to constant operation

#### **Americas** Europe, Middle Asia Pacific East & Africa SENSATA TECHNOLOGIES CHINA CO., LTD. SENSATA TECHNOLOGIES INC. 529 Pleasant Street, 30th Floor, InterContinental Center, Attleboro, MA 02703 100 Yu Tong Rd, Jing An District, 200070 SENSATA TECHNOLOGIES HOLLAND B.V. Shanghai, China Jan Tinbergenstraat 80 7559 SP Hengelo +86 (21) 2306 1500 sales.isasia@list.sensata.com PRESSURE SENSORS & SWITCHES The Netherlands +1 (800) 350 2727 JAPAN sensors@sensata.com PRESSURE SENSORS & SWITCHES switches@sensata.com +81 (45) 277 7117 +359 (2) 809 1826 sales.isasia@list.sensata.com pressure-info.eu@sensata.com TEMPERATURE SENSING +1 (888) 438 2214 sensors@sensata.com TEMPERATURE SENSING +82 (31) 601 2004 +359 (2) 804 7165 (Klixon) +31 (74) 357 8156 (Airpax) sales.isasia@list.sensata.com POSITION SENSORS AND ENCODERS +1 (800) 350 2727 temperature-info.eu@sensata.com +91 (80) 67920890 sales.isasia@list.sensata.com sales.beisensors@sensata.com POSITION SENSORS AND ENCODERS +33 (3) 88 20 8080 SOLID STATE RELAYS position-info.eu@sensata.com +1 (877) 502 5500 +886 (2) 27602006 ext 2808 sales.crydom@sensata.com SOLID STATE RELAYS sales.isasia@list.sensata.com +44 (1202) 416170 ssr-info.eu@sensata.com **MOTORS & ACTUATORS ELECTRICAL PROTECTION/POWER CONTROLS** +1 (760) 597 7042 +86 (21) 2306 1500 AIRPAXSH@sensata.com (Airpax) EP\_Asia\_Public@list.sensata.com (Electrical sales.beikimco@sensata.com MOTORS & ACTUATORS +1 (760) 597 7042 OPERATOR CONTROLS motors-info.eu@sensata.com +1 (800) 350 2727 sales.deltatech@sensata.com **OPERATOR CONTROLS** GIGAVAC CONTACTORS Phone +(805) 684-8401 +359 (2) 809 1826 **ELECTRICAL PROTECTION / POWER CONTROLS** ost-info.eu@sensata.com gigavac@sensata.com +1 (508) 236 3287 klixon@sensata.com **ELECTRICAL PROTECTION / POWER CONTROLS** CYNERGY3 COMPONENTS +31 (74) 357 8156 +44 (0) 1202 897969 GIGAVAC CONTACTORS temperature-info-eu@sensata.com sales@cynergy3.com Phone +1 (805) 684-8401 gigavac@sensata.com **GIGAVAC CONTACTORS** Phone + (805) 684-8401 CYNERGY3 COMPONENTS +44 (0) 1202 897969 gigavac@sensata.com sales@cynergy3.com **CYNERGY3 COMPONENTS** +44 (0) 1202 897969 sales@cynergy3.com