



| S4E

Multifunction Grip

Introduction

The Multifunction grips (MFGs) from DeltaTech Controls® provide the reliability required in demanding environmental conditions such as heavy duty industrial applications and off-road. The high mechanical strength of the shaft and the unique look and feel make these multifunction grips ideal for rigorous use in rugged, harsh environments. Multifunction grips are designed for use with DeltaTech Controls® AJ3/AJ4/AJN/SAL Joysticks but can also be used together with other joysticks. For more information on the AJ3, AJ4, AJN and SAL please consult the AJ3, AJ4, AJN and SAL datasheets.





Main Features

- Ergonomic shape and controls position
- Variable functions and mountings
- Grips mountable for left and right handed usage
- Precise tactile feedback of switches



DIMENSIONS



Standard cable (CS):

Typ: AWG 20

Length: 700mm (from end of tube) inclusive connector


Connector: Deutsch DT04 - I2P



ORDERING OPTIONS

Example : S4 - TAJ - CS - CS - AR4 - AR4 - V - T

	S4	TAJ	CS	CS	AR4	AR4	V	T
Family								
SK: MFG S4								
Tube								
TAJ: Tube for AJ4								
TC : Customized tube ^(A)								
Cable								
CAJ: cable for AJ4								
CS : standard cable								
CC : customized cable ^(A)								
Connector								
CS: standard connector								
CC: customized connector ^(A)								
Function A (left/top)								
N : no switch								
1F : 1 Pushbutton switch								
2F : 2 Pushbutton switches								
AR4: Analog Rocker 4								
FNR: Forward-Neutral-Reverse								
Function B (right/bottom)								
N : no switch								
1F : 1 Pushbutton switch								
2F : 2 Pushbutton switches								
AR4: Analog Rocker 4								
FNR: Forward-Neutral-Reverse								
Install position								
H: horizontal								
V: vertical								
Trigger								
N: none								
T: trigger								



• Rated for protection class IP67

Standard cable (CS):

Typ: AWG 20


Length: 700mm (from end of tube) inclusive connector

Connector: Deutsch DT04 - I2P




(A) Details available on request (For more technical data and drawings see overleaf)


Available Variants




Combination FNR Switch, AR6/AR7, 1 Push Button




Combination FNR, 2 AR6/AR7




Combination FNR, AR6/AR7, 2 Push Buttons



Combination FNR, 2 Push Buttons



Combination Momentary Switches, AR6/AR7, 2 Push Buttons



Combination 2 Momentary Switches, 2 Push Buttons

Sensata Technologies, Inc. ("Sensata") data sheets are solely intended to assist designers ("Buyers") who are developing systems that incorporate Sensata products (also referred to herein as "components"). Buyer understands and agrees that Buyer remains responsible for using its independent analysis, evaluation and judgment in designing Buyer's systems and products. Sensata data sheets have been created using standard laboratory conditions and engineering practices. Sensata has not conducted any testing other than that specifically described in the published documentation for a particular data sheet. Sensata may make corrections, enhancements, improvements and other changes to its data sheets or components without notice.

Buyers are authorized to use Sensata data sheets with the Sensata component(s) identified in each particular data sheet. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER SENSATA INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY THIRD PARTY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT, IS GRANTED HEREIN. SENSATA DATA SHEETS ARE PROVIDED "AS IS". SENSATA MAKES NO WARRANTIES OR REPRESENTATIONS WITH REGARD TO THE DATA SHEETS OR USE OF THE DATA SHEETS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ACCURACY OR COMPLETENESS. SENSATA DISCLAIMS ANY WARRANTY OF TITLE AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, QUIET POSSESSION, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS WITH REGARD TO SENSATA DATA SHEETS OR USE THEREOF.

All products are sold subject to Sensata's terms and conditions of sale supplied at www.sensata.com SENSATA ASSUMES NO LIABILITY FOR APPLICATIONS ASSISTANCE OR THE DESIGN OF BUYERS' PRODUCTS. BUYER ACKNOWLEDGES AND AGREES THAT IT IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL LEGAL, REGULATORY AND SAFETY-RELATED REQUIREMENTS CONCERNING ITS PRODUCTS, AND ANY USE OF SENSATA COMPONENTS IN ITS APPLICATIONS, NOTWITHSTANDING ANY APPLICATIONS-RELATED INFORMATION OR SUPPORT THAT MAY BE PROVIDED BY SENSATA.

Mailing Address: Sensata Technologies, Inc., 529 Pleasant Street, Attleboro, MA 02703, USA.

CONTACT US

INDUSTRIAL SOLUTIONS DIVISION

Americas
+1 (800) 350 2727
sensors.deltatech@sensata.com
Europe, Middle East & Africa
+359 (2) 809 1826
ost-info.eu@sensata.com
Asia Pacific
sales.isasia@list.sensata.com
China +86 (21) 2306 1500
Japan +81 (45) 277 7117
Korea +82 (31) 601 2004
India +91 (80) 67920890
Rest of Asia +886 (2) 27602006 ext 2808

HEAVY VEHICLE & OFF-ROAD DIVISION

Americas
+1 508 236 2196
products@sensata.com
Europe, Middle East & Africa
+49 30 43 999 0
products@sensata.com
Asia Pacific
products@sensata.com
China +86 (21) 2306 1500
Japan +81 (45) 277 7001
Korea +82 (31) 601 2004